

OPERA DB Stay Export
Data Definition

HEADER

FILE_TYPE	FILE_GROUP_ID	FILE_TYPE_DESC	SOURCE_VIEW_CODE	FILE_NAME	FILE_EXTENSION	WHERE_CLAUSE	ZIP_FILE_NAME
DB_STAY_NIGHT	MISC	DB Stay export	EXP_DBSTAY	property_code to_char(pms_p.business_date,'MMDDYY')	'CAS'	room_type not in ('PM', 'PI', 'PF', 'PQ', 'PT')	
DB_STAY_DAY	MISC	DB Stay Manual export	EXP_DBSTAY	property_code to_char(pms_p.business_date,'MMDDYY')	'CAS'	room_type not in ('PM', 'PI', 'PF', 'PQ', 'PT')	

DETAILS

COL_NAME	COL_LENGTH	COL_FORMAT	COL_TYPE	FORMULA	GEN_DATA_TYPE
CONFIDENTIAL_RATE	1		FORMULA	CASE WHEN RECORD_TYPE =1 THEN '0' END	D
FILLER	2		FORMULA	CASE WHEN RECORD_TYPE =1 THEN ' ' END	D
ROOM	4		FORMULA	CASE WHEN RECORD_TYPE=1 THEN RPAD(NVL(ROOM,' '),4) END	D
ROOM_TYPE	4		FORMULA	CASE WHEN RECORD_TYPE=1 THEN RPAD(NVL(ROOM_TYPE,' '),4) END	D
NO_OF_ROOMS	1		FORMULA	CASE WHEN RECORD_TYPE=1 THEN TO_CHAR(NVL(NO_OF_ROOMS,0),'FM0') END	D
PMS_CONF_NO	9		FORMULA	CASE WHEN RECORD_TYPE =1 THEN 'HH' RPAD(NVL(CONFIRMATION_NO,' '), 6) RPAD(' ',1) END	D
ARRIVAL	6		FORMULA	CASE WHEN RECORD_TYPE=1 THEN TO_CHAR(ARRIVAL_DATE, 'MMDDYY') END	D
DEPARTURE	6		FORMULA	CASE WHEN RECORD_TYPE=1 THEN TO_CHAR(DEPARTURE_DATE,'MMDDYY') END	D
RATE_CODE	6		FORMULA	CASE WHEN RECORD_TYPE=1 THEN RPAD(NVL(RATE_CODE, ' '),6) END	D
BLOCK_CODE	4		FORMULA	CASE WHEN RECORD_TYPE=1 THEN RPAD(NVL(SUBSTR(BLOCK_CODE,INSTR(BLOCK_CODE,'-')+1),' '),4) END	D
RATE_CATEGORY	4		FORMULA	CASE WHEN RECORD_TYPE=1 THEN RPAD(NVL(RATE_CATEGORY, ' '),4) END	D
GUEST_LAST_NAME	15		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(GUEST_LAST_NAME,' '),15) END	D
GUEST_FIRST_NAME	10		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(GUEST_FIRST_NAME,' '),10) END	D
GUARANTEE_CODE	1		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(GUARANTEE_CODE,' '),1) END	D
PACKAGE_PLAN	4		FORMULA	CASE WHEN RECORD_TYPE=1 THEN RPAD(NVL(SUBSTR(RATE_CODE,1,4),' '),4) END	D
ADULTS	1		FORMULA	CASE WHEN RECORD_TYPE=1 THEN TO_CHAR(ADULTS,'FM0') END	D
CHILDREN	1		FORMULA	CASE WHEN RECORD_TYPE=1 THEN TO_CHAR(CHILDREN,'FM0') END	D
QUOTED_COST	7		FORMULA	CASE WHEN RECORD_TYPE=1 THEN TO_CHAR(SHARE_AMOUNT,'FM0000D00') END	D
PAYMENT_CODE	2		FORMULA	CASE WHEN RECORD_TYPE = 1 THEN RPAD(NVL(PAYMENT_CODE,' '),2) END	D
AR_ACCOUNT	5		FORMULA	CASE WHEN RECORD_TYPE = 1 THEN RPAD(NVL(AR_ACCOUNT_NO,' '),5) END	D

OPERA DB Stay Export
Data Definition

PAYMENT_DESC	25		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(PAYMENT_TYPE NVL(PAYMENT_CREDIT_CARD_NO,' '),25) END	D
CRS_CONF	10		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(CRS_CONFIRMATION_NO,' '),10) END	D
SPECIAL_SERV_CO DES	29		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(GUEST_SPECIALS_CODES,' '),29) END	D
LOYALTY_MEMBER	10		FORMULA	CASE WHEN RECORD_TYPE =1 THEN LPAD(NVL(LOYALTY_MEMBER_NO,NVL(AIRLINE_MEMBER_NO,'0')),10) END	D
GUEST_ADDRESS_1	25		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(GUEST_ADDRESS_1,' '),25) END	D
GUEST_ADDRESS_2	25		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(GUEST_ADDRESS_2,' '),25) END	D
GUEST_CITY	18		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(GUEST_CITY,' '),18) END	D
GUEST_STATE_CODE	2		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(GUEST_STATE_CODE,' '),2) END	D
GUEST_POSTAL_CODE	9		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(GUEST_POSTAL_CODE,' '),9) END	D
GUEST_TELEPHONE	12		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(GUEST_TELEPHONE,NVL(UDFC20,'')),12) END	D
GUARANTEED_BY	25		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(PAYMENT_CODE CREDIT_CARD_NO,' '),25) END	D
INSERT_DATE	6		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(TO_CHAR(INSERT_DATE,'MMDDYY'),6) END	D
ACTUAL_CHECKIN	6		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(TO_CHAR(ARRIVAL_DATE,'MMDDYY'),6) END	D
ACTUAL_CHECKOUT	6		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(TO_CHAR(DEPARTURE_DATE,'MMDDYY'),6) END	D
RECORD_TYPE_C	1		FORMULA	CASE WHEN RECORD_TYPE =1 THEN 'C' END	D
COMP_CORP_ID	10		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(COMPANY_CORP_ID,' '),10) END	D
COMPANY_NAME	25		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(COMPANY_NAME,' '),25) END	D
RECORD_TYPE_T	1		FORMULA	CASE WHEN RECORD_TYPE =1 THEN 'T' END	D
AGENT_IATA_NO	10		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(AGENT_IATA_NO,' '),10) END	D
AGENT_NAME	25		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(AGENT_NAME,' '),25) END	D
RECORD_TYPE_S	1		FORMULA	CASE WHEN RECORD_TYPE =1 THEN 'S' END	D
SOURCE_NAME	25		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(SOURCE_NAME,' '),25) END	D
SOURCE_IATA_NO	10		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(' ',10) END	D
REVENUE_BKT_1	10		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(TO_CHAR(REVENUE_BKT1_AMOUNT_1, 'FM000000D00'),10) END	D
REVENUE_BKT_2	10		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(TO_CHAR(REVENUE_BKT1_AMOUNT_2, 'FM000000D00'),10) END	D

OPERA DB Stay Export
Data Definition

REVENUE_BKT_3	10		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(TO_CHAR(REVENUE_BKT1_AMOUNT_3, 'FM000000D00'),10) END	D
REVENUE_BKT_4	10		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(TO_CHAR(REVENUE_BKT1_AMOUNT_4, 'FM000000D00'),10) END	D
GP_REVENUE	10		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(TO_CHAR(NVL(GP_ELIGIBLE_REVENUE,0),'FM000 0000D00'),10) END	D
PROPERTY_CODE	5		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(PROPERTY_CODE,''),5) END	D
AIRLINE_FF_NO	22		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(AIRLINE_MEMBER_NO,''),22) END	D
FILLER	2		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(' ',2) END	D
RESV_STATUS	1		FORMULA	CASE WHEN RECORD_TYPE =1 THEN 'O' END	D
DATE_OF_LAST_CH ANGE	6		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(TO_CHAR(DEPARTURE_DATE,'MMDYY'),6) END	D
GUEST_HIST_ID	10		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(GUEST_IATA_CORP_NO,' '),10) END	D
PMS_RM_TYPE_DE SC	20		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(' ',20) END	D
PHONE_TYPE_INDI CATOR	1		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(' ',1) END	D
SPIRIT_RATE_PLAN	6		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(RATE_CODE,' '),6) END	D
COUNTRY_CODE	2		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(GUEST_COUNTRY_CODE,' '),2) END	D
CHANNEL_CODE	5		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(CHANNEL_CODE,' '),5) END	D
GUEST_HIST_RETE NTION	1		FORMULA	CASE WHEN RECORD_TYPE =1 THEN '1' END	D
FAX/EMAIL/MAIL	62		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(UDFC21,' '),62) END	D
GDS_SOURCE	5		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(CHANNEL_CODE,' '),5) END	D
FILLER_FOR_CODE PLUS	2		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(' ',2) END	D
GDS_SOURCE_DES C	32		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(CHANNEL_CODE,' '),32) END	D
BONUS_CODE	10		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(UDFC40,' '),10) END	D
AGENT	20		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(coalesce(user_log.user_name(CHECKIN_USER),' ' '),20) END	D
CHECKED_OUT_BY _AGENT	20		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(coalesce(user_log.user_name(CHECKOUT_USER), ' '),20) END	D
CHECKIN_TIME	5		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(TO_CHAR(ARRIVAL_DATE,'HH:MI'),5) END	D
CHECKOUT_TIME	5		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(TO_CHAR(DEPARTURE_DATE,'HH:MI'),5) END	D

OPERA DB Stay Export
Data Definition

WALKIN_FLAG	1		FORMULA	CASE WHEN RECORD_TYPE = 1 THEN RPAD(WALKIN_FLAG,1) END	D
RECORD_TYPE_DAILY_DETAILS	1		FORMULA	CASE WHEN RECORD_TYPE =2 THEN 'D' END	D
RESERVATION_PREFIX	2		FORMULA	CASE WHEN RECORD_TYPE =2 THEN 'HH' END	D
RESERVATION_NUMBER	6		FORMULA	CASE WHEN RECORD_TYPE =2 THEN RPAD(NVL(CONFIRMATION_NO,' '),6) END	D
RESERVATION_SUFFIX	1		FORMULA	CASE WHEN RECORD_TYPE =2 THEN RPAD(' ',1) END	D
STAY_YEAR	4		FORMULA	CASE WHEN RECORD_TYPE =2 THEN RPAD(TO_CHAR(TRX_DATE,'YYYY'),4) END	D
STAY_MONTH	2		FORMULA	CASE WHEN RECORD_TYPE =2 THEN RPAD(TO_CHAR(TRX_DATE,'MM'),2) END	D
STAY_DATE	2		FORMULA	CASE WHEN RECORD_TYPE =2 THEN RPAD(TO_CHAR(TRX_DATE,'DD'),2) END	D
FILLER	2		FORMULA	CASE WHEN RECORD_TYPE =2 THEN RPAD(' ',2) END	D
GROUPING_NUMBER	4		FORMULA	CASE WHEN RECORD_TYPE =2 THEN RPAD(NVL(RATE_CODE,' '),4) END	D
TOUR_NUMBER	4		FORMULA	CASE WHEN RECORD_TYPE =2 THEN RPAD(NVL(SUBSTR(BLOCK_CODE,INSTR(BLOCK_CODE,'-')+1),' '),4) END	D
ROOM_TYPE	4		FORMULA	CASE WHEN RECORD_TYPE =2 THEN RPAD(NVL(ROOM_TYPE,' '),4) END	D
GROUP_CODE	6		FORMULA	CASE WHEN RECORD_TYPE =2 THEN RPAD(NVL(RATE_CATEGORY,' '),6) END	D
PACKAGE_PLAN	4		FORMULA	CASE WHEN RECORD_TYPE=2 THEN RPAD(NVL(RATE_CODE,' '),4) END	D
SPIRIT_CONF_NUMBER	10		FORMULA	CASE WHEN RECORD_TYPE=2 THEN RPAD(NVL(CRS_CONFIRMATION_NO,' '),10) END	D
ROOM_REVENUE_1	10		FORMULA	CASE WHEN RECORD_TYPE=2 THEN RPAD(TO_CHAR(REVENUE_BKT1_AMOUNT_1,'FM0000000D00'),10) END	D
F&B_REVENUE_2	10		FORMULA	CASE WHEN RECORD_TYPE=2 THEN RPAD(TO_CHAR(REVENUE_BKT1_AMOUNT_2,'FM0000000D00'),10) END	D
BANQUET_REVENUE_3	10		FORMULA	CASE WHEN RECORD_TYPE=2 THEN RPAD(TO_CHAR(REVENUE_BKT1_AMOUNT_3,'FM0000000D00'),10) END	D
OTHER_REVENUE_4	10		FORMULA	CASE WHEN RECORD_TYPE=2 THEN RPAD(TO_CHAR(REVENUE_BKT1_AMOUNT_4,'FM0000000D00'),10) END	D
HOTEL_SPIRIT_CODE	5		FORMULA	CASE WHEN RECORD_TYPE=2 THEN RPAD(NVL(PROPERTY_CODE,' '),5) END	D
SPIRIT_RATE_PLAN	6		FORMULA	CASE WHEN RECORD_TYPE=2 THEN RPAD(NVL(RATE_CODE,' '),6) END	D
SPIRIT_ROOM_TYPE	4		FORMULA	CASE WHEN RECORD_TYPE=2 THEN RPAD(NVL(ROOM_TYPE,' '),4) END	D
ORIGIN_CODE_C	1		FORMULA	CASE WHEN RECORD_TYPE=2 THEN 'C' END	D
ORIGIN_NUMBER_1	10		FORMULA	CASE WHEN RECORD_TYPE=2 THEN RPAD(NVL(COMPANY_CORP_ID,' '),10) END	D

OPERA DB Stay Export
Data Definition

ORIGIN_CODE2	1		FORMULA	CASE WHEN RECORD_TYPE=2 THEN 'T' END	D
ORIGIN_NUMBER_2	10		FORMULA	CASE WHEN RECORD_TYPE=2 THEN RPAD(NVL(AGENT_IATA_NO,' '),10) END	D
ORIGIN_CODE_3	1		FORMULA	CASE WHEN RECORD_TYPE=2 THEN 'S' END	D
ORIGIN_NUMBER_3	10		FORMULA	CASE WHEN RECORD_TYPE=2 THEN RPAD(NVL(SOURCE_NAME,' '),10) END	D
CONF_LEG_NUMBER	2		FORMULA	CASE WHEN RECORD_TYPE=2 THEN RPAD(TO_CHAR(CONFIRMATION_LEG_NO,'FM00'),2)	D
GP_REVENUE	10		FORMULA	CASE WHEN RECORD_TYPE=2 THEN RPAD(TO_CHAR(NVL(GP_ELIGIBLE_REVENUE,0),'FM000000D00'),10) END	D
FILLER	97		FORMULA	CASE WHEN RECORD_TYPE=2 THEN RPAD(' ',97) END	D
FOLIO_PAYMENT_CODE	2		FORMULA	CASE WHEN RECORD_TYPE=2 THEN RPAD(NVL(PAYMENT_TYPE,' '),2) END	D
FOLIO_PAYMENT_ACCOUNT	5		FORMULA	CASE WHEN RECORD_TYPE=2 THEN RPAD(NVL(AR_account_no,' '),5) END	D
GUEST_FOLIO_WIN	1		FORMULA	CASE WHEN RECORD_TYPE = 2 THEN NVL(to_char(FOLIO_VIEW),' ') END	D
GP_ELIGIBLE_REV_YN	1		FORMULA	CASE WHEN RECORD_TYPE =2 AND NVL(GP_ELIGIBLE_REVENUE_YN,'N') = 'Y' THEN '1' WHEN RECORD_TYPE =2 THEN '0' END	D
GP_ELIGIBLE_STAY	1		FORMULA	CASE WHEN RECORD_TYPE =2 AND NVL(GP_ELIGIBLE_NIGHTS,0) = 0 THEN '0' WHEN RECORD_TYPE =2 AND NVL(GP_ELIGIBLE_NIGHTS,0) <> 0 THEN '1' END	D
FILLER	353		FORMULA	CASE WHEN RECORD_TYPE =2 THEN RPAD(' ',353) END	D
FILLER	5		FORMULA	' '	H
PROPERTY_CODE	5		VARCHAR2		H
FILLER	613		FORMULA	' '	H
AWARD_NBR	20		FORMULA	CASE WHEN RECORD_TYPE =2 THEN RPAD(NVL(AWARD_VOUCHER_1,' '),20) END	D
POV	2		FORMULA	CASE WHEN RECORD_TYPE =1 THEN RPAD(NVL(MARKET_CODE,' '),2) END	D